



FARADAY'S LAW of
ELECTROMAGNETIC INDUCTION and
MAGNETIC ENERGY DENSITY

Electricity and Magnetism

FARADAY'S LAW of ELECTROMAGNETIC INDUCTION and
MAGNETIC ENERGY DENSITY

by
R. Young

1. Instructor's Notes	
a. Introduction	1
b. Flux	1
c. Faraday's Law of Induction	1
d. Not Completely $\vec{E} - \vec{B}$ Symmetric	2
e. Magnetostatic Energy Density	2
2. Procedures	3
Acknowledgments	4

Title: **Faraday's Law of Electromagnetic Induction and Magnetic Energy Density**

Author: R.D. Young, Dept. of Physics, Ill. State Univ

Version: 10/18/2001

Evaluation: Stage B0

Length: 2 hr; 8 pages

Input Skills:

1. Vocabulary: ohmic material, steady current, Joule heating (MISN-0-530).
2. Write down Ampere's Law in differential form (MISN-0-609).

Output Skills (Knowledge):

- K1. Vocabulary: electromotive force or emf, fundamental equation of electric circuit analysis, magnetic flux, Lenz's law, self-inductance, mutual inductance, magnetostatic energy density.
- K2. For a system of magnetically linked, rigid circuits, derive the magnetostatic energy stored in the field structure, given the fundamental equation of electric circuit analysis.

Output Skills (Rule Application):

- R1. Use Lenz's law to determine the direction of the current induced in a circuit due to a change in the magnetic field present.

Output Skills (Problem Solving):

- S1. Given a system in motion through a stationary magnetic field or a stationary system in the presence of changing magnetic flux, use Faraday's law to determine the induced emf.
- S2. Calculate the magnetic energy stored in a system of current-carrying circuits in the presence of linear, isotropic, magnetic materials.

External Resources (Required):

1. J. Reitz, F. Milford and R. Christy, *Foundations of Electromagnetic Theory*, 4th Edition, Addison-Wesley (1993).

THIS IS A DEVELOPMENTAL-STAGE PUBLICATION
OF PROJECT PHYSNET

The goal of our project is to assist a network of educators and scientists in transferring physics from one person to another. We support manuscript processing and distribution, along with communication and information systems. We also work with employers to identify basic scientific skills as well as physics topics that are needed in science and technology. A number of our publications are aimed at assisting users in acquiring such skills.

Our publications are designed: (i) to be updated quickly in response to field tests and new scientific developments; (ii) to be used in both classroom and professional settings; (iii) to show the prerequisite dependencies existing among the various chunks of physics knowledge and skill, as a guide both to mental organization and to use of the materials; and (iv) to be adapted quickly to specific user needs ranging from single-skill instruction to complete custom textbooks.

New authors, reviewers and field testers are welcome.

PROJECT STAFF

Andrew Schnepf	Webmaster
Eugene Kales	Graphics
Peter Signell	Project Director

ADVISORY COMMITTEE

D. Alan Bromley	Yale University
E. Leonard Jossem	The Ohio State University
A. A. Strassenburg	S. U. N. Y., Stony Brook

Views expressed in a module are those of the module author(s) and are not necessarily those of other project participants.

© 2001, Peter Signell for Project PHYSNET, Physics-Astronomy Bldg., Mich. State Univ., E. Lansing, MI 48824; (517) 355-3784. For our liberal use policies see:

<http://www.physnet.org/home/modules/license.html>.

FARADAY'S LAW of ELECTROMAGNETIC INDUCTION and MAGNETIC ENERGY DENSITY

by
R. Young

1. Instructor's Notes

1a. Introduction. This Unit introduces the concepts of electromagnetic induction and magnetic energy density. A simple example is the observation that an emf, and hence an electric field, is always produced in a complete circuit as a result of imposing a time-changing magnetic field that is normal to the area enclosed by the circuit.

1b. Flux. To describe this magnetic induction quantitatively and generally, we define the (magnetic) *flux* ϕ through a surface S as:

$$\phi = -\frac{d}{dt} \int \vec{B} \cdot \vec{n} dS.$$

Here \vec{n} is a unit vector normal to the surface S so $\vec{B} \cdot \vec{n}$ is the component of \vec{B} normal to the surface element dS . Note that flux has the dimensions of magnetic field times area.

1c. Faraday's Law of Induction. Faraday's Law of electromagnetic induction is:

$$\mathcal{E} = -\frac{d\phi}{dt}. \quad (1)$$

Eq. (1) can be reexpressed as a partial differential equation involving \vec{E} and \vec{B} ,

$$\vec{\nabla} \times \vec{E}(\vec{r}, t) = -\frac{\partial \vec{B}(\vec{r}, t)}{\partial t}, \quad (2)$$

where now an explicit time dependence is shown. Eq. (2) is the differential form of Faraday's Law and is one of the famous Maxwell's equations. Eq. (2) shows explicitly that an electric field is associated with a time-varying magnetic induction \vec{B} . Because of the explicit dependence on time, the situation is no longer one of electrostatics or magnetostatics but it is a situation better called dynamic electromagnetism.

1d. Not Completely $\vec{E} - \vec{B}$ Symmetric. Since a time-varying magnetic induction is associated with an electric field (actually, the curl of an electric field), it might seem plausible that a time-varying electric field is associated with a non-zero magnetic induction (or, possibly, with the curl of the magnetic induction). Presumably this would happen through Ampere's Law which contains the quantity $\vec{\nabla} \times \vec{B}$. Although no such term as $\partial \vec{E} / \partial t$ appears in Ampere's Law, it must be remembered that the law referred only to a static situation: no time dependence was considered. In fact, it will be shown in MISN-0-513 that when an explicit time dependence is allowed in the vector fields, \vec{H} , \vec{D} , and \vec{J} , and in the scalar field, ρ , in the equations we have seen so far, there is an inconsistency among those equations:

$$\vec{\nabla} \times \vec{H}(t) = \vec{J}(t), \quad (3)$$

$$\vec{\nabla} \cdot \vec{D}(t) = \rho(t), \quad (4)$$

and

$$\frac{\partial \rho(t)}{\partial t} + \vec{\nabla} \cdot \vec{J}(t) = 0. \quad (5)$$

Can you find the inconsistency? In Unit MISN-0-513 it will be seen that a modification of Ampere's Law is needed when such an explicit time dependence is allowed.

1e. Magnetostatic Energy Density. Recall from MISN-0-509 that an electrostatic energy density given by

$$\mathcal{W}_{\text{elec}} = \frac{1}{2} \vec{D} \cdot \vec{E} \quad (6)$$

could be defined so that the energy W stored in a configuration of charge was given by

$$W = \int \frac{1}{2} \vec{D} \cdot \vec{E} dv. \quad (7)$$

The form of Eqs. (6) and (7) suggests that the energy can be viewed as being stored in the fields \vec{D} and \vec{E} produced by the charges in the configuration. Analogously, a magnetostatic energy density is defined by

$$\mathcal{W}_{\text{mag}} = \frac{1}{2} \vec{B} \cdot \vec{H}, \quad (8)$$

so that the energy W' stored in a configuration of currents is given by:

$$W' = \int \frac{1}{2} \vec{B} \cdot \vec{H} dv. \quad (9)$$

It becomes very natural then to speak of an electromagnetic energy density, at some space-point and time, given by:

$$\mathcal{W} = \frac{1}{2}(\vec{D} \cdot \vec{E} + \vec{B} \cdot \vec{H}), \quad (10)$$

where the total electromagnetic energy stored in a configuration of charge and currents is given by

$$W = \int \frac{1}{2}(\vec{D} \cdot \vec{E} + \vec{B} \cdot \vec{H})dv. \quad (11)$$

2. Procedures

1. Read these sections in the text:

Sec. 11-1 Electromagnetic Induction

Sec. 11-2 Self-inductance

Sec. 11-3 Mutual inductance

Sec. 12-1 Magnetic energy of coupled circuits

Sec. 12-2 Energy density in the magnetic field

2. Write down or underline the definitions asked for in Output Skill K1.
3. Write down and memorize the derivations asked for in Output Skill K2.
4. Solve these problems:

Problem	Type
11 - 2, 11 - 6	Calculation of emf's
11 - 7	Application of Lenz's Law
12 - 1, 12 - 3	Calculation of magnetic energy for simple systems

Acknowledgments

The author would like to thank Illinois State University for support in the construction of this lesson. Preparation of this module was supported in part by the National Science Foundation, Division of Science Education Development and Research, through Grant #SED 74-20088 to Michigan State University.